



ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ
ДЕКЛАРАЦИЯ О СООТВЕТСТВИИ



Заявитель: ОБЩЕСТВО С ОГРАНИЧЕННОЙ ОТВЕТСТВЕННОСТЬЮ "ПРОФИМПОРТ", Место нахождения: 630052, Российская Федерация, Новосибирская область, город Новосибирск, улица Тролейная 83, офис К19, ОГРН: 1155476124033, Номер телефона: +7 3833640071, Адрес электронной почты: profimport_nsk@mail.ru

В лице: Директор Гагунов Игорь Александрович

заявляет, что Масло моторное синтетическое, тм: TOYOTA, LEXUS. Марки: 5W-40, 5W-30, 5W-30, 5W-30 PFE, 5W-30 PFE, 5W-40, Масло моторное синтетическое, тм: TOYOTA, LEXUS. Марки: 5W-40, 5W-30, 5W-30, 5W-30 PFE, 5W-30 PFE, 5W-40

Изготовитель: TOYOTA MOTOR CORPORATION, Место нахождения: Япония, 1-Toyota-cho, Toyota-City, Aichi, 471-8571, 35.05376536785193, 137.15861261170747, Адрес места осуществления деятельности по изготовлению продукции: Япония, 1-Toyota-cho, Toyota-City, Aichi, 471-8571, 35.05376536785193, 137.15861261170747

Коды ТН ВЭД ЕАЭС: 2710198200

Серийный выпуск,

Соответствует требованиям ТР ТС 030/2012 О требованиях к смазочным материалам, маслам и специальным жидкостям

Декларация о соответствии принята на основании протокола MS-ИЛ-010-0049 выдан 29.07.2022 испытательной лабораторией "ИСПЫТАТЕЛЬНАЯ ЛАБОРАТОРИЯ Общества с ограниченной ответственностью «МОСТЕХНОКОМ», аттестат аккредитации РОСС RU.32396.04НТЦ0.ИЛ06 от 25.11.2021"; Схема декларирования: 1д;

Дополнительная информация

Декларация о соответствии действительна с даты регистрации по 31.07.2026 включительно




(подпись)

М.П.

Гагунов Игорь Александрович

(Ф. И. О. заявителя)

Регистрационный номер декларации о соответствии:

ЕАЭС N RU Д-JP.PA05.B.26782/22

Дата регистрации декларации о соответствии:

02.08.2022

SAFETY DATA SHEET

SS-039 LEXUS MOTOR OIL SM 5W-40

1. Identification of the substance/preparation and of the company/undertaking

Product name : **SS-039 LEXUS MOTOR OIL SM 5W-40** **Manufacturer** : **IDEMITSU Lube Europe Gmbh, Elberfelder Str.2, D-40213 Duesseldorf, Germany**
Emergency telephone number : **+49(0)211-175437-0** **Supplier** : **tel:-49(0)211-175437-0**
Material Uses : **Not available.**

2. Composition / information on ingredients

Substance/Preparation : **Preparation**

Chemical name*	CAS No.	%	EC Number	Classification
Mineral oil See Section 16 for the full text of the R Phrases declared above		90-99		

* Occupational Exposure Limit(s), if available, are listed in section 8

3. Hazards identification

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Skin Contact : Irritation of the product in case of skin contact: Not available. Sensitization of the product: Not available.**Aggravating conditions** : Repeated or prolonged exposure is not known to aggravate medical condition.

4. First-aid measures

First-Aid measures

- Inhalation** : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
- Ingestion** : Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
- Skin Contact** : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
- Eye Contact** : Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

5. Fire-fighting measures

Extinguishing Media

Suitable : SMALL FIRE: Use DRY chemical powder.
 LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special fire-fighting procedures : Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.**Protection of fire-fighters** : Be sure to use an approved/certified respirator or equivalent.

6. Accidental release measures

Personal precautions : Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.**Environmental Precautions and Clean-up Methods** : Absorb with an inert material and put the spilled material in an appropriate waste disposal.**Note:** See section 8 for personal protective equipment and section 13 for waste disposal.

7. Handling and storage

- Handling** : Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. If ingested, seek medical advice immediately and show the container or the label.
- Storage** : Keep container tightly closed. Keep container in a cool, well-ventilated area.
- Packaging materials**
- Recommended use** : Use original container.

8. Exposure controls/personal protection

- Engineering measures** : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are proximal to the work-station location
- Hygiene measures** : Wash hands after handling compounds and before eating, smoking, using lavatory, and at the end of day.

Ingredient Name

Mineral oil

Occupational Exposure Limits

ACGIH TLV (United States, 2004).

TWA: 5 mg/m³ 8 hour(s). Form: Oil mist

Personal protective equipment

- Skin and body** : Lab coat.
- Hands** : Impervious gloves.
- Eyes** : Safety glasses.

9. Physical and chemical properties

- Physical state** : Liquid.
- Color** : Brown.
- Odor** : Characteristic.
- pH** : Not applicable.
- Flash point** : Open cup: 232°C (449.6°F)(Cleveland.)
- Explosive properties** : Risks of explosion of the product in presence of mechanical impact: Not available.
Risks of explosion of the product in presence of static discharge: Not available.
- Oxidizing Properties** : Not available.
- Density** : 0.85 g/cm³ (15°C / 59°F)
- Solubility** : Insoluble in cold water.
- Viscosity** : Kinetic: 14.1 cSt (@100°C)
Kinetic (40C): 85.1 cSt

10. Stability and reactivity

- Stability** : The product is stable.

11. Toxicological information

Acute toxicity

<u>Ingredient Name</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
Mineral oil	LD50	>5000 mg/kg	Oral	Rat

Local effects

- Chronic toxicity** : Repeated or prolonged exposure is not known to aggravate medical condition.

12. Ecological information

13. Disposal considerations

- Methods of disposal ; Waste of residues ; Contaminated packaging** : Waste must be disposed of in accordance with federal, state and local environmental control regulations.
- Waste Classification** : Not applicable.
- European Waste Catalogue (EWC)** : Not available.
- Hazardous Waste** : To present knowledge of the supplier, this product is not regarded as hazardous waste as defined by EU Directive 91/689/EC.

14. Transport information

International transport regulations

Regulatory Information	UN number	Proper shipping name	Class	Packing Group	Label	Additional information
ADR/RID Class	Not regulated.	Not available.	Not available.			-
ADN Class	Not regulated.	Not available.	Not available.			-
IMDG Class	Not regulated.	Not available.	Not available.			-
IATA-DGR Class	Not regulated.	Not available.	Not available.			-

15. Regulatory information

EU Regulations

- Risk Phrases** : This product is not classified according to the EU regulations.
- Product Use** : Classification and labeling have been performed according to EU directives 67/548/EEC, 1999/45/EC including amendments and the intended use.
- Consumer applications.
- Additional Warning Phrases** : Safety Data Sheet available for professional user on request.
- EC Statistical Classification (Tariff Code)** :

16. Other information

- Full text of R-Phrases with no. appearing in Section 2 - Europe** :
- Text of classifications appearing in Section 2 - Europe** :
- HISTORY**
- Date of printing** : 2008/03/17.
- Date of issue** : 2008/03/17.
- Date of Previous Issue** : No Previous Validation.
- Version** : 1
- Prepared by** :

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

SAFETY DATA SHEET**TOYOTA GENUINE MOTOR OIL SN 5W-30**

Version 1.1 Revision Date: 04/07/2017 SDS Number: 100000009432 Date of last issue: 11/11/2016
Date of first issue: 11/11/2016

SECTION 1. IDENTIFICATION

Product name : TOYOTA GENUINE MOTOR OIL SN 5W-30

Product code : SS_049

Manufacturer or supplier's details

Company name of supplier : Idemitsu Lube Middle East & Africa FZE

Address : Dubai Airport Free Zone 4WB-448 P.O.Box 293514 Dubai, UAE

Telephone : +971-4-2602-960

Telefax : +971-4-2602-962

Emergency telephone :
number

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use :
None known.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	≥ 10 - < 20

No hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

Mineral oil	-	> 80 - < 90
Synthetic hydrocarbon	-	< 1
Lubricating oil additive	-	< 8

SECTION 4. FIRST AID MEASURES

General advice : Consult a physician.

Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIREFIGHTING MEASURES

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.
Cool closed containers exposed to fire with water spray.

Hazardous combustion products : No hazardous combustion products are known

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
Material can create slippery conditions.

Environmental precautions : Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.
Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum),	64742-54-7	TWA (Mist)	5 mg/m ³	OSHA Z-1

hydrotreated heavy paraffinic				
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL

Personal protective equipment

- Eye protection : Safety glasses
Ensure that eyewash stations and safety showers are close to the workstation location.
- Protective measures : Wear suitable protective equipment.
When using do not eat, drink or smoke.
- Hygiene measures : Wash hands before breaks and immediately after handling the product.
Remove contaminated clothing and protective equipment before entering eating areas.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : transparent
- Physical state : liquid
- Colour : brown
- Odour : characteristic
- Odour Threshold : No data available
- pH : No data available
- Freezing point : No data available

Melting point	: No data available
Drop point	: No data available
Pour point	: -47.5 °C
Boiling point	: No data available
Flash point	: 238 °C Method: Cleveland open cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0.8527 g/cm ³ (15 °C)
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: 60.63 mm ² /s (40 °C)
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Incompatible materials	: Strong acids and strong bases
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I
Substances
Remarks: This product neither contains, nor was
manufactured with a Class I or Class II ODS as defined by the
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +
B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste
handling site for recycling or disposal.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting
requirements of SARA Title III, Section 302.

SARA 313

: The following components are subject to reporting levels established by SARA Title III, Section 313:

zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl)bis(phosphorodithioate)	2215-35-2	0.705 %
zinc bis[O,O-bis(2-ethylhexyl)]bis(dithiophosphate)	4259-15-8	0.705 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0

Pennsylvania Right To Know

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0

California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0

The components of this product are reported in the following inventories:

ENCS : Listed

TSCA : Listed

EINECS	: Listed
REACH	: For further information, please contact
DSL	: Listed
AICS	: Listed
KECI	: Listed
PICCS	: Listed
IECSC	: Listed
TCSI	: Listed
NZIoC	: Listed

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data

Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA:



HMIS III:

HEALTH	0/
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 04/07/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN